AIRPORT DIRECTORY - MIAMI AREA

CITY	AIRPORT	NORTH	EAST	ALT.	F	ILS (Rwy/Freq)
Ft Lauderdale	Ft Lauderdale Exec	10532	19650	14		
Ft Myers	Page Fld	10651	18984	18		
Ft Myers	SW Florida Regional	10634	19027	31		
Ft Pierce	St. Lucia Co. Int'l	11083	19528	24		
Frostproof	River Ranch Resort	11184	19200	55		
Homestead	Homestead General	10223	19528	9		
Immokalee	Immokalee	10599	19167	37		
Key West	Key West Int'l	9779	19085	4		
Key West	NAS Key West	9790	19114	6	*	
La Belle	La Belle	10732	19147	18		
Lakeland	Lakeland Muni	11254	18885	142		
Lake Wales	Lake Wales Muni	11220	19039	125		
Marathon	Marathon	9873	19356	6		
Marco Island	Marco	10402	19075	6		
Miami	Miami Int'l	10357	19615	10	*	109.1/27R
Miami, Hialeah	Opa Locka West	10419	19561	8	*	
Miami	Tamiami	10288	19569	10		
Naples	Naples Muni	10468	19028	9		
Okeechobee	Okeechobee Co.	10970	19354	34		
Pahokee	Palm Beach Co. Glades	10770	19429	17		
Pompano Beach	Pompano Beach Airpark	10558	19674	20		
Punta Gorda	Charlotte Co.	10791	18922	25		
St. Petersburg	Clearwater Int'l	11205	18630	11		
Sarasota	Sarasota-Bradenton	10983	18696	28		
Sebring	Sebring Airport/Ind. Park	11041	19160	63		
Tampa	Tampa Int'l	11240	18690	27	*	
Tampa	MacDill AFB	11186	18704	14		
Venice	Venice Muni	10845	18748	19		
Vero Beach	Vero Beach Muni	11154	19505	25	*	
West Palm Beach ATIS 123.75	West Palm Beach Int'l	10746	19662	19	*	109.3/9L
Winter Haven	Bartow Muni	11241	18979	128		
BAHAMAS						
Congo	Congo Town	9749	20746	15		
Freeport	Freeport Int'l	10737	20209	7	*	
Grand Bahama	Grand Bahama Aux AF	10782	20338	9		
Marsh Harbour	Marsh Harbour	10783	20830	10		
Nassau	Nassau Int'l	10136	20749	10	*	
South Bimini	South Bimini	10350	20020	10		
Treasure Cay	Treasure Cay	10871	20702	11		

LEGEND

Civil-Public use airport

SANTA MONICA — Airport Name
ATIS 119.15 — Advisory Frequency (if available)
175-50 — Elevation (feet) — Length (hundreds of feet)

NAME / FREQUENCY — VOR

NAME / FREQUENCY — VORTAC (Distance Measuring Equipment Able)

NAME / FREQUENCY — VOR/DME

NAME / FREQUENCY — Non Directional Beacon

VOR/DME NAME / FREQUENCY — If VOR falls directly on an airport, only the airport symbol will be shown. The VOR facility type is shown at the top of the box.

MIAMI AREA CHART

FLIGHT SIMULATOR II REFERENCE CHART. NOT TO BE USED FOR REAL WORLD AERIAL NAVIGATION.



North and east coordinates are canted at + 5° (clockwise) to compensate for orthogonal coordinate grid overlaid on Lambert conformal conic projection.

Amdt 10

ILS RWY 27R

AL-257 (FAA)

MIAMI INTERNATIONAL (MIA)
MIAMI, FLORIDA





CATEGORY	A	B	C	D
S-ILS 27R	210-½ 200 (200-½)			
S-LOC 27R	460-½ 450 (500-½)		460-¾ 450 (500-¾)	460-1 450 (500-1)
CIRCLING	NA			



FAF to MAP 4 NM					
Knots	60	90	120	150	180
Min:Sec	4:00	2:40	2:00	1:36	1:20

Amdt 21

ILS RWY 9L

WEST PALM BEACH/PALM BEACH INTL (PBI)

AL-449 (FAA)

WEST PALM BEACH, FLORIDA

PALM BEACH APP CON
124.6 317.4
PALM BEACH TOWER
119.1 257.8
GND CON
121.9
CLNC DEL
121.6
ASR
ATIS 123.75





MISSED APPROACH
Climb to 2000 via I-PBI LOC East Course to Keach 4.3 DME/RADAR and hold.

CATEGORY	A	B	C	D
S-ILS 9L	217/24 200 (200-½)			
S-LOC 9L	480/24 463 (500-⅛)		480/40 463 (500-¾)	480/50 463 (500-1)
CIRCLING	480-1 461 (500-1)		500-1½ 481 (500-1½)	660-2 641 (700-2)

△

ELEV 19 | Rwy 31 ldg 6502'



REIL Rwys 13, 27R and 31
MIRL Rwy 13-31
HIRL Rwy 9L-27R

FAF to MAP 5.7 NM					
Knots	60	90	120	150	180
Min:Sec	5:42	3:48	2:51	2:17	1:54